

. AUSTIN CITY CLERK POSTING: DATE/TIME

2008 APR 10 AM 9 35



RESTRICT 2008039766

Zoning Case No. C14-06-0215A **Zoning Case No. C14-06-0215C** Zoning Case No. C14-06-0215D

#### RESTRICTIVE COVENANT

OWNER:

RKS Texas Investments, L.P., a Texas limited partnership

ADDRESS:

601 Sonterra Boulevard, San Antonio, Texas 78258

CONSIDERATION: Ten and No/100 Dollars (\$10.00) and other good and valuable

consideration paid by the City of Austin to the Owner, the receipt and

sufficiency of which is acknowledged.

PROPERTY:

Being 60.62 acres of land, more or less, comprised of an 8.365 acre tract, a 31.293 acre tract, and a 20.962 acre tract, all of the tracts of land being out of the Santiago del Valle Grant, in the City of Austin, Travis County, and being more particularly described by metes and bounds in Exhibits "A".

"B", and "C" attached and incorporated into this covenant.

WHEREAS, the Owner of the Property and the City of Austin have agreed that the Property should be impressed with certain covenants and restrictions;

NOW, THEREFORE, it is declared that the Owner of the Property, for the consideration, shall hold, sell and convey the Property, subject to the following covenants and restrictions impressed upon the Property by this restrictive covenant. These covenants and restrictions shall run with the land, and shall be binding on the Owner of the Property, its heirs, successors, and assigns.

- A site plan or building permit for the Property may not be approved, released, or issued, if 1. the completed development or uses of the Property, considered cumulatively with all existing or previously authorized development and uses, generate traffic that exceeds the total traffic generation for the Property specified in that certain Traffic Impact Analysis (the "TIA") prepared by Robert J. Halls and Associates, dated April 27, 2007, or as amended and approved by the Director of the Watershed Protection and Development Review Department, or its successor department, of the City of Austin. All development on the Property is subject to the recommendations contained in the memorandum from the Transportation Review Section of the Watershed Protection and Development Review Department, dated November 29, 2007. The TIA shall be kept on file at the Watershed Protection and Development Review Department, or its successor department, of the City of Austin.
- 2. If any person or entity shall violate or attempt to violate this agreement and covenant, it shall be lawful for the City of Austin to prosecute proceedings at law or in equity against such person or entity violating or attempting to violate such agreement or covenant, to prevent the person or entity from such actions, and to collect damages for such actions.

- 3. If any part of this agreement or covenant is declared invalid, by judgment or court order, the same shall in no way affect any of the other provisions of this agreement, and such remaining portion of this agreement shall remain in full effect.
- If at any time the City of Austin fails to enforce this agreement, whether or not any 4. violations of it are known, such failure shall not constitute a waiver or estoppel of the right to enforce it.
- 5. This agreement may be modified, amended, or terminated only by joint action of both (a) a majority of the members of the City Council of the City of Austin, and (b) by the owner(s) of the Property subject to the modification, amendment or termination at the time of such modification, amendment or termination.

EXECUTED this the \_3014\_ day of \_

OWNER:

RKS Texas Investments, L.P., a Texas limited partnership

By:

RKS Texas GP, LLC,

a Texas limited liability company,

its General Partner

Rick Sheldon,

President

Assistant City Attorney

City of Austin

#### THE STATE OF TEXAS

§

COUNTY OF BEXAY

8

This instrument was acknowledged before me on this the day of an acknowledged before me on this the day of an acknowledged before me on this the day of an acknowledged before me on this the day of acknowledged before me on the day of acknowledged before me of acknowledged before me of acknowledged before me of ackno

NANCY RANGE HIATT Notary Public, State of Texas My Commission Expires (Woy 13, 2011

Notary Public, State of Texas

After Recording, Please Return to: City of Austin Department of Law P. O. Box 1088 Austin, Texas 78767-1088

Attention: Diana Minter, Paralegal



# Professional Land Surveying, Inc. Surveying and Mapping

C14-06-0215A

Office 512-443-1724 Fax: 512-441-6987

2807 Manchaca Road Building One Austin, Texas 78704

#### 8.365 ACRES FC PROPERTIES ONE, LTD.

A DESCRIPTION OF 8.365 ACRES IN THE SANTIAGO DEL VALLE GRANT, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A 109.808 ACRE TRACT DESCRIBED AS TRACT VIII IN A SPECIAL WARRANTY DEED TO FC PROPERTIES ONE, LTD, EXECUTED MARCH 20, 1998, AND RECORDED MARCH 25, 1998 IN VOLUME 13147, PAGE 1506 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS; SAID 8.365 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS

**BEGINNING** at a TxDOT monument found for angle point in the south right-of-way line of William Cannon Drive (right-of-way width varies) and the south line of a 0 560 acre tract described in Volume 13313, Page 1231 of the Real Property Records of Travis County, Texas;

**THENCE** with the south right-of-way line of said William Cannon Drive, the south line of the 0 560 acre tract and over and across the 109 808 acre tract along a curve to the right having a radius of 1363 06 feet, a delta angle of 01°29'37", an arc length of 35 54 feet and chord which bears South 78°16'27" East, a distance of 35 53 feet to a calculated point, from which a TxDOT monument found bears along a curve to the right having a radius of 1363.06 feet, a delta angle of 16°30'54", an arc length of 392 89 feet and chord which bears South 70°45'49" East, a distance of 391.53 feet;

**THENCE** departing the south right-of-way line of William Canon Drive, the south line of the 0 560 acre tract and continuing over and across the 109.808 acre tract, the following thirteen (13) courses

- 1 South 12°29'01" West, a distance of 47.87 feet to a calculated point for a point of curvature;
- 2. Along a curve to the right having a radius of 450.00 feet, a delta angle of 50°21'24", an arc length of 395 50 feet and chord which bears South 37°39'43" West, a distance of 382 89 feet to a calculated point;
- 3. South 62°50'25" West, a distance of 280 43 feet to a calculated point for a point of curvature,
- 4. Along a curve to the left having a radius of 450 00 feet, a delta angle of 42°20'35", an arc length of 332.56 feet and chord which bear South 41°40'07" West, a distance of 325 05 feet to a calculated point,

- 5 South 20°30'44" West, a distance of 20.83 feet to a calculated point;
- 6 North 53°22'27" West, a distance of 11 44 feet to a calculated point;
- 7 North 19°55'36" East, a distance of 29.63 feet to a calculated point,
- 8 North 14°07'09" East, a distance of 91 05 feet to a calculated point;
- 9. Along a curve to the left having a radius of 450.00 feet, a delta angle of 22°43'19", an arc length of 178.46 feet and chord which bear North 03°02'54" West, a distance of 177.29 feet to a calculated point;
- 10 North 16°46'54" West, a distance of 37 23 feet to a calculated point;
- 11. North 19°09'04" West, a distance of 245 53 feet to a calculated point;
- 12. Along a curve to the right having a radius of 450.00 feet, a delta angle of 25°36'50", an arc length of 201.17 feet and chord which bear North 06°20'38" West, a distance of 199 50 feet to a calculated point,
- 13. North 06°27'48" East, a distance of 80.40 feet to a calculated point in the south right-of-way line of William Cannon Drive, from which a 1/2" rebar found for a point of curvature bears North 83°25'04" West, a distance of 34 94 feet;

**THENCE** continuing over and across the 109 808 acre tract with the south right-of-way line of William Cannon Drive, the following two (2) courses

- 1 South 83°25'04" East, a distance of 35.14 feet to a 1/2" rebar found for a point of curvature;
- 2. Along a curve to the right having a radius of 20.00 feet, a delta angle of 28°46'03", an arc length of 10.04 feet and chord which bears North 20°18'50" East, a distance of 9.94 feet to a TxDOT monument found for the southwest corner of said 0.560 acre tract;

**THENCE** continuing over and across the 109.808 acre tract with the south right-of-way line of William Cannon Drive and the south line of the 0.560 acre tract, the following three (3) courses:

1 South 83°33'27" East, a distance of 633 10 feet to a TxDOT monument found for

a point of curvature;

- 2. Along a curve to the right having a radius of 1379.47 feet, a delta angle of 04°33'46", an arc length of 109.86 feet and chord which bears South 81°29'22" East, a distance of 109 83 feet to a TxDOT monument found,
- 3 South 10°38'48" West, a distance of 16 66 feet to the **POINT OF BEGINNING**, containing 8.365 acres of land, more or less

Based upon a survey made on the ground, April, 2004 Bearing Basis Grid azimuth for Texas Central Zone, 1983/93 HARN Values from LCRA control network. Attachments Survey Drawing 416-002-Z17 dwg


Robert C Watts, Jr

Registered Professional Land Surveyor


State of Texas No. 4995

ROBERT C. WATTS JR

1-30-08



LINE TABLE					
BEARING	LENGTH				
S10'38'48"W	16.66				
S12'29'01"W	47.87				
S62*50'25"W	280.43				
S20'30'44"W	20.83				
N53'22'27"W	11.44				
N19'55'36"E	29.63				
N14°07'09"E	91.05				
N16'46'54"W	37.23'				
N19'09'04"W	245.53				
N06'27'48"E	80.40				
S83'25'04"E	35.14				
N83°25'04"W	34.94'				
	BEARING \$10'38'48"W \$12'29'01"W \$62'50'25"W \$20'30'44"W N53'22'27"W N19'55'36"E N14'07'09"E N16'46'54"W N19'09'04"W N06'27'48"E \$83'25'04"E				



	CURVE TABLE						
NO.	DELTA	RADIUS	TAN	ARC	CHORD	BEARING	
C31	28'46'03"	20.00'	5.13'	10.04	9.94	N20'18'50"E	
C32	4.33,46"	1379.47	54.96'	109.86'	109.83	S81'29'22"E	
C33	16'30'54"	1363.06	197.82	392.89	391.53	S70'45'49"E	
C36	1'29'37"	1363.06	17.77	35.54	35.53'	S78'16'27"E	
C37_	50°21'24"	450.00	211.55	395.50	382.89'	S37'39'43"W	
C38	42*20'35"	450.00	174.29'	332.56	325.05	S41°40'07"W	
C41	22'43'19"	450.00'	90.42'	178.46'	177.29'	N03'02'54"W	
C42	25*36'50"	450.00	102.29	201.17	199.50	N06°20'38"W	

#### LEGEND


- 1/2" REBAR FOUND
- 0 CALCULATED POINT
- TxDOT MONUMENT FOUND 0

BEARING BASIS GRID AZIMUTH FOR TEXAS CENTRAL ZONE, 1983/93 HARN VALUES FROM LCRA CONTROL NETWORK

ATTACHMENTS: METES AND BOUNDS DESCRIPTION 416-002-Z17



PROJECT NO 416-002 DRAWING NO 416-002-Z17 PLOT DATE 01/30/08 DRAWN BY: RGH PAGE 2 OF 2





# Professional Land Surveying, Inc. Surveying and Mapping

Office. 512-443-1724 Fax: 512-441-6987

2807 Manchaca Road Building One Austin, Texas 78704

## 31.293 ACRES FC PROPERTIES ONE, LTD.

A DESCRIPTION OF 31 293 ACRES IN THE SANTIAGO DEL VALLE GRANT, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A 177.846 ACRE TRACT DESCRIBED AS TRACT VII IN A SPECIAL WARRANTY DEED TO FC PROPERTIES ONE, LTD., EXECUTED MARCH 20, 1998, AND RECORDED MARCH 25, 1998 IN VOLUME 13147, PAGE 1506 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS, SAID 31.293 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

**BEGINNING** at a TxDot monument found in the north right-of-way line of William Cannon Drive (right-of-way width varies) and the west right-of-way line of McKinney Falls Parkway (right-of-way width varies), being in the south line of the 177.846 acre tract and also being the northeast corner of a 0 182 acre tract described in Volume 13313, Page 1231 of the Real Property Records of Travis County, Texas;

**THENCE** with the north right-of-way line of William Cannon Drive and the north line of said 0.182 acre tract, over and across the 177 846 acre tract, the following two (2) courses

- 1. North 62°29'54" West, a distance of 401.33 feet to a TxDot monument found for a point of curvature;
- 2. Along a curve to the left having a radius of 1520.54 feet, a delta angle of 13°37'33", an arc length of 361.61 feet and chord which bears North 69°18'21" West, a distance of 360.76 feet to a 1/2" rebar found for the northwest corner of the 0 182 acre tract and also being in the east right-of-way line of Springfield Drive (right-of-way width varies), further described as a 0 3212 acre tract in Volume 13130, Page 358 of the Real Property Records of Travis County, Texas;

**THENCE** with the east and north right-of-way line of said Springfield Drive, the east and north line of said 0.3212 acre tract and continuing over and across the 177.846 acre tract, the following five (5) courses.

- 1. Along a curve to the right having a radius of 20.00 feet, a delta angle of 26°24'30", an arc length of 9.22 feet and chord which bears North 00°22'17" West, a distance of 9 14 feet to a 1/2" rebar with cap set,
- 2 North 12°40'45" East, a distance of 81.62 feet to a 1/2" rebar with cap set for a point of curvature;

- 3 Along a curve to the right having a radius of 465.00 feet, a delta angle of 09°04'19", an arc length of 73.63 feet and chord which bears North 17°18'36" East, a distance of 73 55 feet to a 1/2" rebar found,
- 4. North 21°50'48" East, a distance of 38.88 feet to a 1/2" rebar with cap set for the northeast termination of the east right-of-way line of Springfield Drive;
- 5. North 68°01'49" West, with the north right-of-way line of Springfield Drive, a distance of 35 00 feet to a 1/2" rebar with cap set;

**THENCE** departing the right-of-way line of Springfield Drive and continuing over and across the 177.846 acre tract, the following seven (7) courses:

- 1 North 21°50'36" East, a distance of 741.90 feet to a 1/2" rebar with cap set for a point of curvature;
- 2 Along a curve to the left having a radius of 470 00 feet, a delta angle of 32°06'02", an arc length of 263 32 feet and chord which bears North 05°47'35" East, a distance of 259 89 feet to a 1/2" rebar with cap set,
- 3 North 10°15'26" West, a distance of 91 26 feet to a 1/2" rebar with cap set for a point of curvature;
- 4 Along a curve to the right having a radius of 300 00 feet, a delta angle of 16°16'07", an arc length of 85.18 feet and chord which bears North 02°07'23" West, a distance of 84 90 feet to a 1/2" rebar with cap set;
- 5 South 76°46'30" East, a distance of 372 63 feet to a 1/2" rebar with cap set;
- 6 South 79°37'48" East, a distance of 342 77 feet to a 1/2" rebar with cap set;
- 7. South 79°37'48" East, a distance of 444 48 feet to a 1/2" rebar with cap set in the west right-of-way line of said McKinney Falls Parkway and the east line of the 177.846 acre tract, from which a 1/2" rebar found for angle point bears along a curve to the left having a radius of 2814.81 feet, a delta angle of 03°51'05", an arc length of 189.20 feet and chord which bears North 19°14'13" East, a distance of 189 17 feet,

**THENCE** with the west right-of-way line of McKinney Falls Parkway and the east line of the 177 846 acre tract, the following three (3) courses

- 1. Along a curve to the right having a radius of 2814.81 feet, a delta angle of 06°21'20", an arc length of 312.23 feet and chord which bears South 24°20'26" West, a distance of 312.07 feet to a 1/2" rebar found;
- 2. South 27°32'04" West, a distance of 1263 37 feet to a 1/2" rebar found,
- 3. South 72°28'00" West, a distance of 37.38 feet to the **POINT OF BEGINNING**, containing 31.293 acres of land, more or less.

Based upon a survey made on the ground, April, 2004 Bearing Basis Grid azimuth for Texas Central Zone, 1983/93 HARN Values from LCRA control network. Attachments.


Survey Drawing 416-002-Z12.dwg

Robert C. Watts, Jr.


Registered Professional Land Surveyor

State of Texas No. 4995

1-30-08



LINE TABLE					
No.	BEARING	LENGTH	(RECORD BEARING)		
L1	S72°28'00"W	37.38'	(S73'00'38"W 37.84')		
L2	N12°40'45"E	81.62'	(N12'40'44"E 81 62')		
L3	N21°50'48"E	38.88	(N21°50'47"E 38.88')		
L4	N68'01'49"W	70.12	(N68'09'13"W 70.00')		
L182	N68'01'49"W	35.00'	_		
L183	N10°15'26"W	91.26'	_		
L184_	S76*46'30"E	372.63'	_		
L185	S79°37'48"E	342.77			
L186	S79°37'48"E	444.48	_		



CURVE TABLE							
NO.	DELTA	RADIUS	TAN	ARC	CHORD	BEARING	(RECORD CHORD)
C1 _	13'37'33"	1520.54	181.66'	361.61	360.76	N69'18'21"W	(N69°18'21"W 360.76')
C2	26'24'30"	20.00'	4.69'	9.22'	9.14	N00°22'17"W	
C3 _	9'04'19"	465.00'	36.89	73.63'	73.55	N17°18'38"E	(N1718'37"E 73.55')
C7_	10°12'25"	2814.81	251.38	501.44	500.77	S22'24'53"W	(S24'00'43"W 500.71')
C35	32°06'02"	470.00'	135.22'	263.32	259.89	N05°47'35"E	
C36	16°16'07"	300.00'	42.88'	85.18'	84.90'	N02'07'23"W	-
C37	6°21'20"	281 <u>4.81</u>	156.28	312.23	312.07	S24'20'26"W	_
C38	3*51'05"	2814.81	94.64	189.20	189.17'	N19°14'13"E	_

#### LEGEND

- 1/2" REBAR FOUND
- O 1/2" REBAR WITH CAP SET
- TxDOT MONUMENT FOUND

PROJECT NO, 416-002 DRAWING NO, 416-002-Z12 PLOT DATE: 01/30/08 DRAWN BY. COD PAGE 2 OF 2



BEARING BASIS GRID AZIMUTH FOR TEXAS CENTRAL ZONE, 1983/93 HARN VALUES FROM LCRA CONTROL NETWORK.

ATTACHMENTS METES AND BOUNDS DESCRIPTION 416-002-Z12



## Professional Land Surveying, Inc. Surveying and Mapping

C14-06-0215P

Office: 512-443-1724 Fax 512-441-6987

2807 Manchaca Road Building One Austin, Texas 78704

### 20.962 ACRES FC PROPERTIES ONE, LTD.

A DESCRIPTION OF 20.962 ACRES IN THE SANTIAGO DEL VALLE GRANT, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A 109.808 ACRE TRACT DESCRIBED AS TRACT VIII IN A SPECIAL WARRANTY DEED TO FC PROPERTIES ONE, LTD, EXECUTED MARCH 20, 1998, AND RECORDED MARCH 25, 1998 IN VOLUME 13147, PAGE 1506 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS; SAID 20.962 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

**BEGINNING** at a TxDot monument found at the intersection of the south right-of-way line of William Cannon Drive (right-of-way width varies) and the west right-of-way line of McKinney Falls Parkway (right-of-way width varies), the east line of the 109.808 acre tract and also being the southeast corner of a 0.560 acre tract described in Volume 13313, Page 1231 of the Real Property Records of Travis County, Texas,

**THENCE** with the west right-of-way line of McKinney Falls Parkway and the east line of the 109.808 acre tract, the following three (3) courses.

- 1. South 17°55'35" East, a distance of 37 53 feet to a 1/2" rebar found.
- 2. South 27°30'59" West, a distance of 884.87 feet to a 1/2" rebar found:
- 3. South 21°49'26" West, a distance of 129 19 feet to a 1/2" rebar found, from which a 1/2" rebar found for angle point bears South 21°49'26" West, a distance of 71.83 feet,

THENCE over and across the 109.808 acre tract, the following eleven (11) courses.

- 1 North 62°11'42" West, a distance of 129.00 feet to a 1/2" rebar with cap set,
- 2. North 27°48'18" East, a distance of 3.63 feet to a 1/2" rebar with cap set,
- 3. North 62°11'42" West, a distance of 729.25 feet to a 1/2" rebar with a cap set,
- 4 North 62°43'43" West, a distance of 89 05 feet to a 1/2" rebar with cap set;
- 5. North 70°05'16" West, a distance of 110.00 feet to a 1/2" rebar with cap set;
- 6 North 70°05'29" West, a distance of 32 19 feet to a 1/2" rebar with cap set;

### Page 2

- 7. North 20°29'58" East, a distance of 20.83 feet to a 1/2" rebar with cap set for a point of curvature,
- 8. Along a curve to the right having a radius of 450.00 feet, a delta angle of 42°20'35", an arc length of 332 56 feet and chord which bears North 41°40'07" East, a distance of 325.05 feet to a 1/2" rebar with cap set,
- 9 North 62°50'25" East, a distance of 280.43 feet to a 1/2" rebar with cap set for a point of curvature;
- 10 Along a curve to the left having a radius of 450.00 feet, a delta angle of 50°21'25", an arc length of 395.50 feet and chord which bears North 37°39'43" East, a distance of 382.89 feet to a 1/2" rebar with cap set,
- 11 North 12°29'01" East, a distance of 47 87 feet to a 1/2" rebar with cap set in the south right-of-way line of William Cannon Drive and the south line of said 0 560 acre tract, from which a TxDot monument found bears along a curve to the left having a radius of 1363.06 feet, a delta angle of 01°29'37", an arc length of 35.54 feet and chord which bears North 78°16'27" West, a distance of 35 53 feet;

**THENCE** with the south right-of-way line of William Canon Drive, the south line of the 0 560 acre tract and continuing over and across the 109 808 acre tract, the following four (4) courses.

- 1 Along a curve to the right having a radius of 1363.06 feet, a delta angle of 15°01'16", an arc length of 357.35 feet and chord which bears South 70°01'00" East, a distance of 356.33 feet to a TxDot monument found;
- 2. South 62°30'20" East, a distance of 107.19 feet to a 1/2" rebar found;
- 3 North 27°17'01" East, a distance of 16.45 feet to a TxDot monument found;
- 4. South 62°29'01" East, a distance of 294 17 feet to the **POINT OF BEGINNING**, containing 20.962 acres of land, more or less.

Based upon a survey made on the ground, April, 2004 Bearing Basis Grid azimuth for Texas Central Zone, 1983/93 HARN Values from LCRA control network. Attachments.

1-30-08

Survey Drawing 416-002-Z11.dwg


Robert C. Watts, Jr

Registered Professional Land Surveyor

State of Texas No 4995

SKETCH TO ACCOMPANY A DESCRIPTION OF 20.962 ACRES IN THE SANTIAGO DEL VALLE GRANT, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A 109.808 ACRE TRACT DESCRIBED AS TRACT VIII IN A SPECIAL WARRANTY DEED TO FC PROPERTIES ONE, LTD., EXECUTED MARCH 20, 1998, AND RECORDED MARCH 25, 1998 IN VOLUME 13147, PAGE 1506 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS. SPRINGFIELD SCALE 1'=200' WILLIAM CANNON DRIVE (RIGHT-OF-WAY WIDTH VARIES) L82 L8370 C33C38 P.O.B. L84 SWD 13313/1249 S62\*29'01"E 294.17' L179 TRACT VI-2, U 560 AC. (S62'29'32"E 294.18') PARTIAL RELEASE OF LIEN 13313/1231 LS PARKWAY WIDTH VARIES FALLS S27.30'59"W (S29'06'50"W E FC PROPERTIES ONE LTD McKINNEY (RIGHT-OF-) (TRACT VIII) 20.962 ACRES (109 808 AC) 13147/1506 FC PROPERTIES ONE LTD (TRACT VIII) (109.808 AC) 13147/1506 L177 T175 <u> [174]</u> N62'11'42"W 729.25' L172 L173 L176 FC PROPERTIES ONE S27'35'35"W 417.23' LTD. (TRACT VIII) (S29'05'49"W 417.07') (109.808 AC.) 13147/1506 PROJECT NO. 416-002 DRAWING NO. 416-002-Z11 PLOT DATE: 01/30/08 DRAWN BY: COD PAGE 1 OF 2

LINE TABLE					
No.	BEARING	LENGTH	(RECORD BEARING)		
L82	S10°38'48"W	16.66'	(S10'59'45"W 16.40')		
L83	S62°30'20"E	107.19	(S62*29'35"E 107.08')		
L84	N27°17'01"E	16 45	(N27'30'25"E 16.40')		
L85	S17°55'35"E	37.53	(S17'30'45"E 52 37')		
L172	N62'11'42"W	129.00'	*****		
L173	N27°48'18"E	3 63'	<u> </u>		
L174	N62'43'43"W	89.05			
L175	N70'05'16"W	110.00'	<u> </u>		
L176	N70'05'29"W	32.19	<u></u>		
L177	N20'29'58"E	20.83	_		
L178	N62°50'25"E	280 43'			
L179	N12'29'01"E	47.87	<u> </u>		
L180	S21°49'26"W	129.19			
L181	S21°49'26"W	71 83'			



	CURVE TABLE						
NO.	DELTA	RADIUS	TAN	ARC	CHORD	BEARING	(RECORD CHORD)
C32	4*33'46"	1379.47	54. <u>96</u> '	109.86	109.83'	S81°29'22"E	(S81°17'10"E 109.87')
C33	16°30'54"	1363 06'	197.82'	392.89	391.53	S70'45'49"E	(S70'44'55"E 391 44')
C35	42'20'35"	450 00'	174.29	332.56	325.05	N41°40'07"E	_
C36	50'21'25"	450.00'	211.55	395.50'	382.89	N37°39'43"E	<u> </u>
C3 <u>7</u>	1°29'37"	1363.06	17.77	<u>35.54</u> '	35.53'	N78'16'27"W	
C38	15'01'16"	1363.06	179 71'	357 35'	356.33	N70°01'00"W	

#### LEGEND

- 1/2" REBAR FOUND
- O 1/2" REBAR WITH CAP SET

PROJECT NO, 416-002 DRAWING NO, 416-002-Z11 PLOT DATE 01/30/08 DRAWN BY COD PAGE 2 OF 2



BEARING BASIS: GRID AZIMUTH FOR TEXAS CENTRAL ZONE, 1983/93 HARN VALUES FROM LCRA CONTROL NETWORK

ATTACHMENTS: METES AND BOUNDS DESCRIPTION 416-002-Z11

### FILED AND RECORDED

OFFICIAL PUBLIC RECORDS

2008 Mar 13 01 58 PM 2008039766

CLARKMM \$84 00

DANA DEBEAUVOIR COUNTY CLERK
TRAVIS COUNTY TEXAS